

General Specifications	
Year	2005
Manufacturer	Lancair
Model	PropJet
Price	Best offer
Location	Treviso
Conditions	Perfect as new
Serial Number	
Registration Number	N369BX
Total Time Time since Overhaul (year)	170
Number Of Seats (total)	4
Maximum Take Off Weight	1.610 kg

General Information	
<p>The airplane will be sold when owner takes delivery of a new airplane, scheduled around June 2008.</p>	
Engine:	Walter 601D turbine
Horsepower:	750 H.P. @ sea level
Propeller:	3 Blade, Constant Speed
	7,92 m.
Length:	26 Ft.
	9,75 m.
Wingspan:	30.2 Ft.
Wing Area:	98 Sq Ft.
Wing Loading:	36 Lbs/sq Ft.
Aspect Ratio:	9:01
G Loading:	(+3.8 -1.9 G's normal)
	998 kg.
Empty Weight:	2200 Lbs.
	1610 kg.
Gross Weight:	3550 Lbs.
	556 lt.
Fuel Capacity:	147 Gal.
	386 kg.
	612 kg.
Useful Load:	1350 Lbs.
	68 kg.
Baggage Capacity:	150 Lbs.
	117/109 cm.
Cabin Width:	46 In. (front), 43 In (rear),
	122 cm.
Cabin Height:	48 In.
Seats:	4

Cruise: (typical)	370 Mph @ 26,000'	321 kts.
Cruise: (typical)		64 kts.
Stall Speed: (dirty)	74 Mph	119 km/h
Takeoff Distance:		457 m.
	1500 Ft. (gross @ sea level)	
	1700 Ft.	518 m.
Landing Roll :		
Cross Wind Landing:		18 kts.
	21 Mph Component	34 km/h
Fuel Consumption:	33 Gph	
(330 H.P. .67 Sfc)		125 lt/h
Maximum Range	1150 Sm (with optional fuel tank)	999 nm.
		1851 km.
Rate Of Climb:	3800/6000 Fpm	

Detailed Description

Equipment list:

- Aircraft: Lancair IV-Turbine
- Engine: Walter M601EX
- Propeller: Hartzell HC-B3TW-3X
- Chelton Flight Systems (Sierra)
- 2 (IDU) Integrated Display Units
- 1 (EAU) Engine Airdata Unit
- Crossbow (AHURS 500GA) Digital gyro position unit
- PMA-7000L Audio Control Panel (Marker Beacon Receiver/Stereo Intercom System)
- Garmin GNS 530
- Garmin GNS 430
- Garmin GTX330D
- Trans-Cal Model SSD120-(XX)A Solid State Altitude Encoder/Digitizer
- Trutrak Flight System Auto Pilot DFC Series 2 Axis
- Mid-Continent CDI Course Deviation Indicator MD200-307
- Ryan 9900BX TCAD In-Flight collision Avoidance System
- WX500
- Precision Flight Systems Trim System 3 Axis
- Val Avionics CLA 500 Multiple circuit Cockpit Lighting Assembly
- Bose Aviation Headset X System 4 place
- ELT Transmitter Model AK-450 with remote in panel
- Dukes Inc. Pressurization System (Controller Control/outflow valve)
- Turbine Starter Limiter Monitor System
- Flow Pack System for Pressurization from turbine bleed air
- VR Avionics Turbine Starter Limiter Monitor System
- Mountain High Oxygen System 4 place with carbon fiber bottle and baggage compartment filler with 2 gauges
- Infinity Aerospace (Aircraft Control Sticks)
- 2 1/4" Analog Altimeter
- 2 1/4" Analog Airspeed Indicator
- 2 1/4" Attitude Indicator Electrical with cage
- 2 1/4" Pictorial Turn Coordinator

- FAA approved Maintenance & Inspection Program
- FAA Operating Limitations
- Airframe log.
- Engine log.
- Hartzell Propeller Owners Manual/Log
- W & B Calculations.
- Pilot Handbook
- Pilot Checklist.
- FAA Airworthiness Certificate.
- Wiring Diagram
- Walter M601 Turboprop Engine Maintenance Manual
- Walter M601E Operation Manual
- Walter M601E Installation ManualWalter Tool CaseWalter Spare Parts case
- Ryan9900 BX Pilot Handbook
- TRUTRAK DFC Autopilot Operating Handbook
- Chelton Synthetic Vision EFIS Pilot's Guide
- Sierra EFIS-SV Installation Guide
- BF Goodrich 1100 Attitude Indicator Operation Instructions
- Artex ELT-200 Installation & Operation Manual
- Lancair IV-P Construction Manual Volume 1 – 4
- Crossbow AHRS500CA Series User's Manual
- 2 – Aircraft Jack Fittings
- Keyboard
- 3 – Tie-down Rings
- Prop Strap
- 4 – Oxygen Mask
- Tow Bar

Contact: Eugenio Pozzo

E-mail eupozzo@gmail.com

Mobile +39.3483006906

NON Pubblicare

Pubblicare su internet

Pubblicare su internet